Autonomous Desk 5 Pro

Assembly Guide

Assembly Time

30-45 min

Number of People

2

TABLE OF CONTENTS

CAUTION

Keep kids and pets away during use.

Unplug during storms or long unused periods.

Keep desktop away from walls for ventilation.

Keep the under-desk area (20"+) obstacle-free during use.

Keep the desk in 0-40°C, away from dust and corrosives.

Do not disassemble without permission.

RESET Manually reset after first use or power outage.

Desktop

Power Cord

Power Outlet

Clips
x 2

End Caps
x 2

Columns
x 2

Feet
x 2

Center Rails
x 2

Keypad

Control Box

Cable Tray

Hooks
x 2

Upper Tube

Side Brackets
x 2

Frames
x 2

(A) M6x10 Screws   x 16

(B) M6x14 Screws   x 8

(C) M6x16 Screws   x 8

(D) M6x12 Screws   x 12

(E) ST5x20 Screws   x 10

(F) ST3.5x16 Screws   x 4

(G) Screwdriver   x 1

(H) M4 Wrench   x 1

(J) Zip Ties   x 10

ASSEMBLY GUIDE

A **M6x10** Screws x8

H **M4** Wrench

D **M6x12** Screws x8

1. Attach **Columns** to the **Frame**

2. Easily align the screw positions by inserting 4 screws **D** (2.1) and 4 screws **A** (2.2), without tightening

2.1

2.2

3. Tighten screws **D** (2.1) and screws **A** (2.2)

D **M6x12** Screws x4

H **M4** Wrench

**1.** Attach **Side Brackets** to the **Frame**

2. Insert 2 screws **D**

C **M6x16** Screws ×8

H **M4** Wrench

1. Attach **Feet** to **Columns**

2. Insert 4 screws **C**

1 3 4 2

Notch direction

H **M4** Wrench

A **M6x10** Screws x8

1. Attach **Center Rails** to the **Frame**, following the notch direction

2. Insert 8 screws **A** without tightening

TEAM LIFT

H M4 Wrench

B M6x14 Screws x6

1. Place a **Foam Pad** under the **Desktop** to prevent scratches when installing

2.
With 2 people, position the **Frame** on the **Desktop**, align the **Side Bracket** holes with the **Desktop** holes

3. Insert 6 screws **B**

B M6x14 Screws x2

H M4 Wrench

A M6x10 Screws x8

1. Insert 2 screws **B**

2. Tighten 8 screws **A**

CABLE TRAY ASSEMBLY

F ST3.5x16 Screws x4

E ST5x20 Screws x4

G Screwdriver

1. Attach 2 x **End Caps** to **Cable Tray** using 4 x Screws **F**

back front

Note the front and back orientations of the 2 Clips

front

back

2. Attach 2 x **Clips** and **Control Box** to **Desktop** using 10 x Screws **E**

① back front

② back front

3. Hang & secure the **Cable Tray** onto the **Clips**, as shown above

TEAM LIFT

Note: Make sure all screws are tight, then flip upright. Keep the **Foam Pad** under the **Desktop** during flipping to prevent scratches.

1.

2.

3.

Zip Ties

1. Route the **Keypad Cable** through the **Desktop**

2. Plug **Motor & Keypad Cords** into the **Control Box** & secure them with the **Zip Ties**

Motor plug

Keypad plug

Power cord plug

3. Plug the power cord into the **Outlet** & secure it with the **Zip Ties**

Power Outlet

1. Attach the **Hooks** to the **Side Brackets**

2. Attach the **Upper Tube** to a **Column**

*Note: The **Power Cord** should be put through the **Upper Tube** before attaching*

SETUP KEYPAD

1. Press & hold ⌃ + ⌄ for 3 seconds

2. Release when there is a "beep" sound to complete reset.

29.5

λutonomous

1. Press ⌃ or ⌄ to adjust the height

2. Press and hold **M** for 3 seconds until the display flashes, then press the memory **I** , **II** or **III** to save

3. Memory Recall Function:

Your desk has two different ways to recall saved heights.

You can switch between these modes anytime.

How to Switch Modes:

Press ⌃ + **I** + **II** at the same time. The desk will beep to tell you which mode you're now in.

Quick Click Mode (Default):

- When you hear 1 beep, you're in **Quick Click** mode
- Simply tap button **I** , **II** or **III** once
- The desk will automatically move to that saved height

Press & Hold Mode:

- When you hear 2 beeps, you're in **Press & Hold** mode
- Press and hold button **I** , **II** or **III**
- Keep holding until the desk reaches your saved height
- The desk will stop automatically when it gets there

Note: Your chosen mode stays active until you change it using the ⌃ + **I** + **II** combination again.

ANTI-COLLISION LEVEL SETTINGS

The Anti-collision setting prevents damage and accidents by stopping the desk if it hits something, becomes uneven, or tilts.

1. Press & hold **I** + **II** for 5 seconds to enter setting mode

2. Press ⌃ or ⌄ to adjust sensitivity. For the smoothest operation, we recommend setting the anti-collision back to level 1.

3. Wait for 5 seconds to save

Any questions?

Chat with our Customer Support team at
www.autonomous.ai/help-center

We're here to help!